

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE		PAGE OF PAGES	
2. AMENDMENT/MODIFICATION NO.		3. EFFECTIVE DATE		4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. <i>(If applicable)</i>	
6. ISSUED BY		CODE		7. ADMINISTERED BY <i>(If other than Item 6)</i>		CODE	
8. NAME AND ADDRESS OF CONTRACTOR <i>(No., street, county, State and ZIP Code)</i>				(X)		9A. AMENDMENT OF SOLICITATION NO.	
						9B. DATED <i>(SEE ITEM 11)</i>	
						10A. MODIFICATION OF CONTRACT/ORDER NO.	
						10B. DATED <i>(SEE ITEM 11)</i>	
CODE		FACILITY CODE					

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers
☐ is extended, ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. **FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.** If by virtue of this amendment your desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA *(If required)*

**13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS.
IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: <i>(Specify authority)</i> THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES <i>(such as changes in paying office, appropriation date, etc.)</i> SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER <i>(Specify type of modification and authority)</i>

E. IMPORTANT: Contractor ☐ is not, ☐ is required to sign this document and return _____ copy to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER <i>(Type or print)</i>		16A. NAME AND TITLE OF CONTRACTING OFFICER <i>(Type or print)</i>	
15B. CONTRACTOR/OFFEROR		16B. UNITED STATES OF AMERICA	
15C. DATE SIGNED		16C. DATE SIGNED	
<div style="border-top: 1px solid black; width: 100%;"></div> <i>(Signature of person authorized to sign)</i>		<div style="border-top: 1px solid black; width: 100%;"></div> <i>(Signature of Contracting Officer)</i>	

Item 14. Continued.

CHANGES TO THE SPECIFICATIONS

Write-in Change to Section 00220: **Replace** the (c) "Service Diagram" attachment (1 page) which was added by amendment 0004 with the attached new "Service Diagram" attachment (2 pages). This provides clarification for viewing purposes.

END OF AMENDMENT

1 TRANSFORMER, PAD MOUNT, SEE EQUIPMENT SCHEDULE.

2 PAD MOUNTED EQUIPMENT SHALL BE GROUNDED WITH
GROUND ROD AND #4/0 COPPER COUNTERPOISE
ENCIRCLING THE PAD.

3 75 KVA TRANSFORMER: 4-#3/0
1-#350 NEUTRAL

~~100 KVA TRANSFORMER: 4-#350 PHASE
2-#250 NEUTRAL~~

~~167 KVA TRANSFORMER: 6-#350 PHASE
3-#250 NEUTRAL~~

CONDUCTOR LENGTH = 15 FT MIN

4 DISTRIBUTION PEDESTAL 120/240 VOLT, 3 WIRE, 42 KAIR
ENCLOSURE RATED NEMA 3R AND NEMA 12
75 KVA TRANS FORMER: 400A BUS, 300A MAIN BREAKER
100 KVA TRANSFORMER: 600A BUS, 400A MAIN BREAKER
167 KVA TRANSFORMER: 1000A BUS, 700A MAIN BREAKER
BREAKER FOR EACH BUILDING.

FOR SINGLE FAMILY, 150 AMP

FOR DUPLEX, 175 AMP

FOR SITE LIGHTING, IRRIGATION, CATV AMPLIFIERS 250 VOLT, 2P, 20 AMP

5 PAD MOUNTED EQUIPMENT SHALL BE GROUNDED WITH
GROUND ROD AND #4/0 COPPER COUNTERPOISE
ENCIRCLING THE PAD.

6 SERVICE LATERAL TO BUILDINGS SEE FEEDER SCHEDULE.
MIN LENGTH ON #2/0 TO BE 100 FT

7 BUILDING GROUNDING ELECTRODE SYSTEM TO BE 5/8 INCH
BY 8 FT GROUND ROD. ALSO CONNECT FOUNDATION REBAR
(UFER) PER NEC 250.

~~8 AREA AND STREET LIGHTING SEE FEEDER SCHEDULE AND
SITE LIGHTING SCHEDULE.~~

9 PREMISE WIRING, 120/240 VOLT.

SERVICE DIAGRAM